Table 32 (page 1 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 1999

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and rank order	1980		1999 <sup>1</sup>	
	Cause of death	Deaths	Cause of death	Deaths
All persons				
• •	All causes	1,989,841	All causes	2,391,399
2	. Diseases of heart . Malignant neoplasms . Cerebrovascular diseases . Unintentional injuries	761,085 416,509 170,225 105,718	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases	725,192 549,838 167,366 124,181
5	. Chronic obstructive pulmonary diseases . Pneumonia and influenza	56,050 54,619 34,851 30,583	Unintentional injuries Diabetes mellitus Influenza and pneumonia Alzheimer's disease	97,860 68,399 63,730 44,536
9		29,449 26,869	Nephritis, nephrotic syndrome and nephrosis Septicemia	35,525 30,680
Male				
	All causes	1,075,078	All causes	1,175,460
2	. Chronic liver disease and cirrhosis . Homicide	405,661 225,948 74,180 69,973 38,625 27,574 20,505 19,768 18,779 14,325	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Chronic lower respiratory diseases Diabetes mellitus Influenza and pneumonia Suicide Chronic liver disease and cirrhosis Nephritis, nephrotic syndrome and nephrosis	351,617 285,832 64,485 63,535 62,415 31,150 27,718 23,458 17,115 17,016
Female				
	All causes	914,763	All causes	1,215,939
2. 3. 4. 5. 6. 7. 8. 9.	Diseases of heart     Malignant neoplasms     Cerebrovascular diseases     Unintentional injuries     Pneumonia and influenza     Diabetes mellitus     Atherosclerosis     Chronic obstructive pulmonary diseases     Chronic liver disease and cirrhosis     Certain conditions originating in the perinatal period	355,424 190,561 100,252 31,538 27,045 20,526 17,848 17,425 10,815 9,815	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Diabetes mellitus Influenza and pneumonia Unintentional injuries Alzheimer's disease Nephritis, nephrotic syndrome and nephrosis Septicemia	373,575 264,006 102,881 61,766 37,249 36,012 34,325 31,145 18,509 17,285
White				
	All causes	1,738,607	All causes	2,061,348
2	. Chronic liver disease and cirrhosis	683,347 368,162 148,734 90,122 52,375 48,369 28,868 27,069 25,240 24,829	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Unintentional injuries Influenza and pneumonia Diabetes mellitus Alzheimer's disease Nephritis, nephrotic syndrome and nephrosis Suicide	635,118 477,238 144,827 114,735 82,245 56,694 54,599 41,877 28,041 26,300
Black				
	All causes	233,135	All causes	285,064
2. 3. 4. 5. 6. 7. 8.	. Certain conditions originating in the perinatal period . Pneumonia and influenza	72,956 45,037 20,135 13,480 10,172 6,961 5,648 5,544 4,790 3,416	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Chronic lower respiratory diseases Human immunodeficiency virus (HIV) disease Homicide Nephritis, nephrotic syndrome and nephrosis Influenza and pneumonia	78,574 61,951 18,884 12,728 11,927 7,915 7,893 7,648 6,711 5,876

See footnotes at end of table.

Table 32 (page 2 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 1999

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and rank order	1980		1999 <sup>1</sup>	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native				
	All causes	6,923	All causes	11,312
2. 3. 4. 5. 6. 7. 8. 9. 10	Diabetes mellitus Certain conditions originating in the perinatal period	1,494 1,290 770 410 322 257 217 210 199 181	Diseases of heart Malignant neoplasms Unintentional injuries Diabetes mellitus Cerebrovascular diseases Chronic liver disease and cirrhosis Chronic lower respiratory diseases Influenza and pneumonia Suicide Homicide	2,404 1,836 1,327 725 546 513 406 315 291 253
Asian or Pacific Islander				
	All causes	11,071	All causes	33,675
2	Certain conditions originating in the perinatal period Diabetes mellitus	3,265 2,522 1,028 810 342 249 246 227 211 207	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Chronic lower respiratory diseases Influenza and pneumonia Suicide Nephritis, nephrotic syndrome and nephrosis Septicemia	9,096 8,813 3,109 1,560 1,148 1,125 845 658 579 398
Hispanic				
			All causes	103,740
1. 2. 3. 4. 5. 6. 7. 8. 9.			Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Diabetes mellitus Chronic liver disease and cirrhosis Homicide Chronic lower respiratory diseases Influenza and pneumonia Certain conditions originating in the perinatal period	25,866 20,233 8,650 5,907 5,182 2,972 2,864 2,859 2,246 2,153
White male			3 m 3 m 4 m 4 m	,
	All causes	933,878	All causes	1,005,335
3	Malignant neoplasms Unintentional injuries Cerebrovascular diseases Chronic obstructive pulmonary diseases Pneumonia and influenza Suicide Chronic liver disease and cirrhosis Diabetes mellitus	364,679 198,188 62,963 60,095 35,977 23,810 18,901 16,407 12,125 10,543	Diseases of heart Malignant neoplasms Chronic lower respiratory diseases Cerebrovascular diseases Unintentional injuries Diabetes mellitus Influenza and pneumonia Suicide Chronic liver disease and cirrhosis Nephritis, nephrotic syndrome and nephrosis	307,585 247,396 57,000 54,867 52,898 25,545 24,281 21,107 14,790 13,632
Black male				
3	Malignant neoplasms Unintentional injuries Cerebrovascular diseases Homicide Certain conditions originating in the perinatal period Pneumonia and influenza Chronic liver disease and cirrhosis Chronic obstructive pulmonary diseases	130,138 37,877 25,861 9,701 9,194 8,274 3,869 3,386 3,020 2,429 2,010	All causes  Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Homicide Human immunodeficiency virus (HIV) disease Diabetes mellitus Chronic lower respiratory diseases Nephritis, nephrotic syndrome and nephrosis Certain conditions originating in the perinatal period	145,703 37,576 32,850 8,773 7,894 6,214 5,493 4,759 4,500 3,008 2,907

See footnotes at end of table.

2 ...... Health, United States, 2001

## Table 32 (page 3 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 1999

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and rank order	1980		1999¹	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native male				
	All causes	4,193	All causes	6,092
2 3 4	Unintentional injuries Diseases of heart Malignant neoplasms Chronic liver disease and cirrhosis Cerebrovascular diseases	946 917 408 239 163	Diseases of heart Malignant neoplasms Unintentional injuries Diabetes mellitus Chronic liver disease and cirrhosis	1,302 949 890 323 299
8	Pneumonia and influenza Suicide Certain conditions originating in the perinatal period	162 148 147 107 86	Cerebrovascular diseases Suicide Chronic lower respiratory diseases Homicide Influenza and pneumonia	236 233 197 179 147
Asian or Pacific Islander male				
	All causes	6,809	All causes	18,330
3	Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Pneumonia and influenza Suicide Chronic obstructive pulmonary diseases Homicide Certain conditions originating in the perinatal period	2,174 1,485 556 521 227 159 158 151 128 103	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Chronic lower respiratory diseases Diabetes mellitus Suicide Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis Homicide	5,154 4,637 1,488 974 718 523 467 465 297 230
Hispanic male			All	F7 004
			All causes	57,991
1	   		Diseases of heart Malignant neoplasms Unintentional injuries Cerebrovascular diseases Homicide Diabetes mellitus Chronic liver disease and cirrhosis Chronic lower respiratory diseases Human immunodeficiency virus (HIV) disease	13,554 10,668 6,578 2,809 2,399 2,335 2,143 1,547 1,525
White female			Suicide	1,430
· · ·	All causes	804,729	All causes	1,056,013
3	Diseases of heart Malignant neoplasms Cerebrovascular diseases Unintentional injuries Pneumonia and influenza Diabetes mellitus	318,668 169,974 88,639 27,159 24,559 16,743 16,526 16,398 8,833 6,512	Diseases of heart Malignant neoplasms Cerebrovascular diseases Chronic lower respiratory diseases Influenza and pneumonia Unintentional injuries Alzheimer's disease Diabetes mellitus Nephritis, nephrotic syndrome and nephrosis Septicemia	327,533 229,842 89,960 57,735 32,413 29,347 29,292 29,054 14,409 13,798
Black female				
3	Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Certain conditions originating in the perinatal period Pneumonia and influenza	102,997 35,079 19,176 10,941 3,779 3,534 3,092 2,262 1,898 1,770 1,722	All causes  Diseases of heart Malignant neoplasms Cerebrovascular diseases Diabetes mellitus Unintentional injuries Nephritis, nephrotic syndrome and nephrosis Chronic lower respiratory diseases Septicemia Influenza and pneumonia Human immunodeficiency virus (HIV) disease	139,361 40,998 29,101 10,990 7,168 3,955 3,703 3,415 3,203 3,051 2,400

See footnotes at end of table.

## Table 32 (page 4 of 4). Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 1999

[Data are based on the National Vital Statistics System]

Sex, race, Hispanic origin, and rank order	1980		1999¹	
	Cause of death	Deaths	Cause of death	Deaths
American Indian or Alaska Native female				
	All causes	2,730	All causes	5,220
3	Malignant neoplasms Unintentional injuries Chronic liver disease and cirrhosis Cerebrovascular diseases Diabetes mellitus Pneumonia and influenza Certain conditions originating in the perinatal period Nephritis, nephrotic syndrome, and nephrosis	577 362 344 171 159 124 109 92 56 55	Diseases of heart Malignant neoplasms Unintentional injuries Diabetes mellitus Cerebrovascular diseases Chronic liver disease and cirrhosis Chronic lower respiratory diseases Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis Septicemia	1,102 887 437 402 310 214 209 168 115 88
Asian or Pacific Islander female				
	All causes	4,262	All causes	15,345
3	Malignant neoplasms Cerebrovascular diseases Unintentional injuries Diabetes mellitus Certain conditions originating in the perinatal period Pneumonia and influenza Congenital anomalies Suicide	1,091 1,037 507 254 124 118 115 104 90	Malignant neoplasms Diseases of heart Cerebrovascular diseases Diabetes mellitus Unintentional injuries Chronic lower respiratory diseases Influenza and pneumonia Nephritis, nephrotic syndrome and nephrosis Essential (primary) hypertension and hypertensive renal disease Septicemia	4,176 3,942 1,621 625 586 407 380 282 197 196
Hispanic female				
			All causes	45,749
1. 2. 3. 4. 5. 6. 7.			Diseases of heart Malignant neoplasms Cerebrovascular diseases Diabetes mellitus Unintentional injuries Chronic lower respiratory diseases Influenza and pneumonia Certain conditions originating in the perinatal period Chronic liver disease and cirrhosis	12,312 9,565 3,098 2,847 2,072 1,312 1,154 961 829

<sup>...</sup> Category not applicable.

NOTES: Cause of death code numbers in 1980 are based on the International Classification of Diseases, 9th Revision (ICD-9). Starting in 1999 cause of death code numbers are based on ICD-10. See Appendix II, tables IV and V.

SOURCES: Centers for Disease Control and Prevention, National Center for Health Statistics. *Vital statistics of the United States, vol II, mortality, part A,* 1980. Washington: Public Health Service. 1985; Hoyert DL, Smith BL, Arias E, Murphy SL. Deaths: Final data for 1999. National vital statistics reports. vol 49 no 8. Hyattsville, Maryland: National Center for Health Statistics. 2001.

...... Health, United States, 2001

<sup>- - -</sup> Data not available.

The rank order of leading causes of death changed somewhat between 1998 and 1999, reflecting in part changes in the coding rules for selecting underlying cause of death between ICD–9 and ICD–10. For example, for all persons, Influenza and pneumonia dropped from 6th to 7th, Alzheimer's disease rose from 12th to 8th, and Septicemia rose from 11th to 10th.